



CLAIMS

1. A product corresponding to Formula (I) below:



in which:

- 5 R1 and R2 are selected independently from the group consisting of aryl, heteroaryl, substituted aryl and substituted heteroaryl; R2 may also be chosen from the group C5-C7 cycloalkyl;
 L is selected from the group consisting of C(R7)(R8), C=O, C=S, and C=N(R7);
- 10 R3 is selected from the group consisting of H, halogen, CF₃, alkyl, substituted alkyl, alkylene, substituted alkylene, alkynyl, substituted alkynyl, cycloalkyl, cycloalkylene, heterocyclyl, substituted heterocyclyl, CO-R7, C(R7)=N-O(R8), COOH, CONH-aryl, CONH-heteroaryl, CONH-R7, CON(R7)(R8), CO-N(R7)-aryl, CO-N(R7)-heteroaryl, C(OR7)=NH, C[N(R7)(R8)]=NH, NH₂, NH-aryl, NH-heteroaryl, NH(R7), N(R7)(R8), NH-CO-R7, N(R7)-CO-aryl, N(R7)-CO-heteroaryl, NH-SO₂-R7, NH-SO₂-aryl, NH-SO₂-heteroaryl, NH-CH₂-CO₂(R7), NH-CH₂-aryl, NH-CH₂-heteroaryl, NH-COO-(C1-C4)alkyl, NH-CH₂-(C2-C3)alkylene, NH-CH₂-(C2-C3)alkynyl, N(R7)-N(R8)(R12), N-N=C(R7)(R8), CN, O-R7, O-CH₂-aryl, O-CH₂-heteroaryl, S-R7, SO-R7, SO₂-R7, aryl, heteroaryl, substituted cycloalkyl, substituted aryl and substituted heteroaryl;
- 15 R4 is selected from the group consisting of H, (C1-C3)alkyl, cyclopropyl, (C2-C3)alkylene, (C2-C3)alkynyl, O(C1-C3)alkyl, S-(C1-C3)alkyl, F, Cl and Br;
- 20 X is N or CH;
- 25 R7, R8 and R12 are independently selected from the group consisting of H, (C1-C3)alkyl and substituted (C1-C3)alkyl;
 L-G-R1 is selected from the group consisting of:





L and R1 are as defined above;

R5 and R6 are selected independently from the group consisting of H, (C1-C3)alkyl, oxo and halogen; and


5 R9 is (C1-C3)alkyl;

in racemic form, enriched in one enantiomer, enriched in one diastereoisomer, its tautomers, its prodrugs and its pharmaceutically acceptable salts, with the proviso that the product of formula (I) is not one of the following compounds:



10

2. The product as claimed in claim 1, characterized in that X is N.
3. The product according to claim 1 or 2, characterized in that L-G-R1 is



in which R5 and R6 are each H.

- 15 4. The product as claimed in any one of claims 1 to 3, characterized in that R1 is chosen from:

- phenyl;
- phenyl substituted with at least one radical chosen from halogen, (C1-C3)alkyl, CON(R10)(R11), O-R10, S-R10 and N(R10)(R11);

- pyridyl;
- pyridyl substituted with at least one radical chosen from halogen, (C1-C3)alkyl, CON(R10)(R11), O-R10, S-R10 and N(R10)(R11),
in which R10 and R11 are chosen independently from H, (C1-C3)alkyl and
5 halogenated (C1-C3)alkyl.

5. The product as claimed in claim 4, characterized in that R1 is chosen from:

- phenyl substituted with halogen, (C1-C3)alkyl, (C1-C3)alkoxy or carboxamide,
- 10 - 2-pyridyl or 3-pyridyl,
- 2-pyridyl or 3-pyridyl substituted with halogen or (C1-C3)alkyl.

6. The product as claimed in claim 5, characterized in that R1 is phenyl substituted with:

- a chloro radical, or
- 15 - one or two methoxy radicals, or
- a carboxamide radical.

7. The product as claimed in any one of claims 4 to 6, characterized in that R1 is chosen from 2,3-disubstituted phenyl, 2,5-disubstituted phenyl, 3-substituted phenyl, 3,5-disubstituted phenyl and 3,4-disubstituted phenyl.

20 8. The product as claimed in claim 5, characterized in that R1 is chosen from 4-substituted 2-pyridyl, 6-substituted 2-pyridyl, 4,6-disubstituted 2-pyridyl, 2-substituted 3-pyridyl and 5-substituted 3-pyridyl.

9. The product as claimed in claim 1, characterized in that R2 is chosen from phenyl, 3-pyridyl, phenyl substituted with at least one radical chosen
25 from halogen, alkyl, O-R10, S-R10 and N(R10)(R11), in which R10 and R11 are independently chosen from H, (C1-C3)alkyl and halogenated (C1-C3)alkyl.

10. The product as claimed in claim 1, characterized in that R3 is chosen from H, (C1-C3)alkyl, CF3, hydroxymethyl, amino, azetidino and pyrrolidino.

30 11. The product as claimed in claim 10, characterized in that R3 is chosen from methyl, hydroxymethyl, CF3 and amino.

12. The product as claimed in claim 1, characterized in that R₄ is H.

13. The product as claimed in claim 1, characterized in that it is chosen from:

- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)(4-phenylpiperazin-1-yl)methanone
- 5 - (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(2-methoxyphenyl)piperazin-1-yl]methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(4-fluorophenyl)piperazin-1-yl]-
- 10 methanone
- 1-{4-[4-(3,5-Dimethyl-1-phenyl-1H-pyrazole-4-carbonyl)piperazin-1-yl]-phenyl}ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- 15 - [4-(3,4-Dichlorophenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)(4-o-tolylpiperazin-1-yl)methanone
- 20 - [4-(2,3-Dimethylphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(2-ethylphenyl)piperazin-1-yl]-methanone
- [4-(3-Chlorophenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)-
- 25 methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)(4-m-tolylpiperazin-1-yl)methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(4-methoxyphenyl)piperazin-1-yl]-methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- 30 - (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- [4-(4-Chlorophenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)-methanone

- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)(4-naphthalen-1-ylpiperazin-1-yl)-methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- 5 - (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(2-ethoxyphenyl)piperazin-1-yl]-methanone
- [4-(2,3-Dichlorophenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- 10 - [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- [4-(4-Benzoyloxyphenyl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- 15 - (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl](3,5-dimethyl-1-phenyl-1H-pyrazol-4-yl)methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)-methanone
- 20 - [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 25 - [4-(4-Fluorophenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 1-(4-{4-[2-(4-Methoxyphenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 30 - [4-(3,4-Dichlorophenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 35 - [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)-methanone

- [4-(2,3-Dimethylphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2-Ethylphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [4-(3-Chlorophenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)-methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)-
- 10 piperazin-1-yl]methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfanylphenyl)-piperazin-1-yl]methanone
- 15 - [4-(4-Chlorophenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-
- 20 2H-pyrazol-3-yl]methanone
- [4-(2-Ethoxyphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2,3-Dichlorophenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 25 - [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)-piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(4-Benzoyloxyphenyl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-
- 30 pyrazol-3-yl]methanone
- [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)-piperazin-1-yl]methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl][2-(4-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 35 - [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)-methanone

- [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 5 - [4-(4-Fluorophenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 1-(4-{4-[2-(3-Methoxyphenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [4-(3,4-Dichlorophenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)-methanone
- [4-(2,3-Dimethylphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2-Ethylphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 20 - [4-(3-Chlorophenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)-methanone
- 25 - [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- 30 - [4-(4-Chlorophenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone
- 35 - [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone

- [4-(2-Ethoxyphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2,3-Dichlorophenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(4-Benzyloxyphenyl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl][2-(3-methoxyphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - (5-Methyl-2-phenyl-2H-pyrazol-3-yl)(4-phenylpiperazin-1-yl)methanone
- [4-(2-Methoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-phenyl-2H-pyrazol-3-yl)[4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 20 - [4-(4-Fluorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 1-{4-[4-(5-Methyl-2-phenyl-2H-pyrazole-3-carbonyl)piperazin-1-yl]-phenyl}ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 25 - [4-(3,4-Dichlorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-phenyl-2H-pyrazol-3-yl)(4-o-tolylpiperazin-1-yl)methanone
- [4-(2,3-Dimethylphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 30 - [4-(2-Ethylphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- [4-(3-Chlorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 35 - [4-(3-Methoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone

- (5-Methyl-2-phenyl-2H-pyrazol-3-yl)(4-m-tolylpiperazin-1-yl)methanone
- [4-(4-Methoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)-methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)-methanone
- 5 - (5-Methyl-2-phenyl-2H-pyrazol-3-yl)[4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- [4-(4-Chlorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 10 - (5-Methyl-2-phenyl-2H-pyrazol-3-yl)(4-naphthalen-1-ylpiperazin-1-yl)methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- [4-(2-Ethoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 15 - [4-(2,3-Dichlorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-phenyl-2H-pyrazol-3-yl)[4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- 20 - [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- [4-(4-Benzoyloxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone
- 25 - N-{4-[4-(5-Methyl-2-phenyl-2H-pyrazole-3-carbonyl)piperazin-1-yl]-phenyl}-methanesulfonamide
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)methanone
- 30 - [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-fluorophenyl)piperazin-1-yl]methanone
- 1-(4-{4-[2-(2-Fluorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}-phenyl)ethanone
- 35

- [4-(2,4-Dimethylphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3,4-Dichlorophenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [4-(3,4-Dimethylphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)-methanone
- [4-(2,3-Dimethylphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [4-(2-Ethylphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3-Chlorophenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- 20 - [4-(2,4-Dimethoxyphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- 25 - [4-(4-Chlorophenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 30 - [4-(2-Ethoxyphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2,3-Dichlorophenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone

- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(2-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- 5 - [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- N-(4-{4-[2-(2-Fluorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)methanone
- 10 - [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 15 - [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-fluorophenyl)piperazin-1-yl]methanone
- 1-(4-{4-[2-(3-Fluorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 20 - [4-(3,4-Dichlorophenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 25 - [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)methanone
- [4-(2,3-Dimethylphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2-Ethylphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 30 - [4-(3-Chlorophenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- 35 - [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)methanone

- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- [4-(4-Chlorophenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone
- 10 - [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2-Ethoxyphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - [4-(2,3-Dichlorophenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 20 - [4-(4-Benzyloxyphenyl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(3-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- 25 - [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl][2-(3-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- N-(4-{4-[2-(3-Fluorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)methanone
- 30 - [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 35 - [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-fluorophenyl)piperazin-1-yl]methanone

- 1-(4-{4-[2-(4-Fluorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}-phenyl)ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [4-(3,4-Dichlorophenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)methanone
- 10 - [4-(2,3-Dimethylphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2-Ethylphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - [4-(3-Chlorophenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)methanone
- 20 - [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 25 - [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- [4-(4-Chlorophenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone
- 30 - [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2-Ethoxyphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 35 - [4-(2,3-Dichlorophenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone

- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)-piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [4-(4-Benzoyloxyphenyl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Fluorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)-piperazin-1-yl]methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl][2-(4-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 15 - 1-(4-{4-[2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazole-3-carbonyl]-piperazin-1-yl}phenyl)ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)methanone
- 20 - [4-(3-Chlorophenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- 25 - [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfonylphenyl)piperazin-1-yl]methanone
- 30 - [4-(4-Chlorophenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 35 - [4-(2-Ethoxyphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone

- [4-(2,3-Dichlorophenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- 5 - [4-(4-Benzyloxyphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- 15 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,4-dimethylphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3,4-dimethylphenyl)piperazin-1-yl]methanone
- 20 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,3-dimethylphenyl)piperazin-1-yl]methanone
- 25 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,4-dimethoxyphenyl)piperazin-1-yl]methanone
- 30 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfonylphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-chlorophenyl)piperazin-1-yl]methanone
- 35 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone

- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-ethoxyphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,3-dichlorophenyl)piperazin-1-yl]methanone
- 5 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(3-chlorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(4-Benzoyloxyphenyl)piperazin-1-yl][2-(3-chlorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,3-dihydrobenzo[1,4]-dioxin-6-yl)piperazin-1-yl]methanone
- 15 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-phenylpiperazin-1-yl)methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 20 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-fluorophenyl)piperazin-1-yl]methanone
- 1-(4-{4-[2-(4-Chlorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)ethanone
- 25 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3,4-dichlorophenyl)piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3,4-dimethylphenyl)piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-o-tolylpiperazin-1-yl)methanone
- 30 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,3-dimethylphenyl)piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-ethylphenyl)piperazin-1-yl]methanone
- 35 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-chlorophenyl)piperazin-1-yl]methanone

- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-m-tolylpiperazin-1-yl)methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- 5 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-chlorophenyl)piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-ylpiperazin-1-yl)methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(4-chlorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 10 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,3-dichlorophenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(4-chlorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - [4-(4-Benzyloxyphenyl)piperazin-1-yl][2-(4-chlorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,3-dihydrobenzo[1,4]-dioxin-6-yl)piperazin-1-yl]methanone
- (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)(4-phenylpiperazin-1-yl)methanone
- 20 - (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)[4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- 1-{4-[4-(5-Methyl-2-p-tolyl-2H-pyrazole-3-carbonyl)piperazin-1-yl]-phenyl}-ethanone
- [4-(3,4-Dichlorophenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 25 - (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)(4-o-tolylpiperazin-1-yl)methanone
- [4-(2,3-Dimethylphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(2-Ethylphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 30 one
- [4-(3-Chlorophenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(3-Methoxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 35 - (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)(4-m-tolylpiperazin-1-yl)methanone

- [4-(4-Methoxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 5 - [4-(2-Methylsulfanylphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(4-Chlorophenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)(4-naphthalen-1-yl)piperazin-1-yl)methanone
- 10 - [4-(5-Chloro-2-methylphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(2-Ethoxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 15 - [4-(2,3-Dichlorophenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)[4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 20 - [4-(4-Benzyloxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-p-tolyl-2H-pyrazol-3-yl)[4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- 25 - [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- N-{4-[4-(5-Methyl-2-p-tolyl-2H-pyrazole-3-carbonyl)piperazin-1-yl]-phenyl}methanesulfonamide
- (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)(4-phenylpiperazin-1-yl)methanone
- 30 [4-(2-Methoxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)[4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(4-Fluorophenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- 35 anone

- 1-{4-[4-(5-Methyl-2-m-tolyl-2H-pyrazole-3-carbonyl)piperazin-1-yl]-phenyl}-ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- 5 - [4-(3,4-Dichlorophenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)(4-o-tolylpiperazin-1-yl)methanone
- 10 - [4-(2,3-Dimethylphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- [4-(2-Ethylphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- [4-(3-Chlorophenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- 15 - [4-(3-Methoxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)(4-m-tolylpiperazin-1-yl)methanone
- [4-(4-Methoxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- 20 - [4-(2,4-Dimethoxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- [4-(2-Methylsulfanylphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- 25 - [4-(4-Chlorophenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)(4-naphthalen-1-ylpiperazin-1-yl)methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- 30 - [4-(2-Ethoxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- [4-(2,3-Dichlorophenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- 35 - (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)[4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone

- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- [4-(4-Benzyloxyphenyl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)-methanone
- 5 - (5-Methyl-2-m-tolyl-2H-pyrazol-3-yl)[4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl](5-methyl-2-m-tolyl-2H-pyrazol-3-yl)methanone
- N-{4-[4-(5-Methyl-2-m-tolyl-2H-pyrazole-3-carbonyl)piperazin-1-yl]-phenyl}-methanesulfonamide
- 10 - (2H-Indazol-3-yl)(4-phenylpiperazin-1-yl)methanone
- (2H-Indazol-3-yl)[4-(2-methoxyphenyl)piperazin-1-yl]methanone
- (2H-Indazol-3-yl)[4-(3-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(4-Fluorophenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- 15 - 1-{4-[4-(2H-Indazole-3-carbonyl)piperazin-1-yl]-phenyl}ethanone
- [4-(2,4-Dimethylphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- [4-(3,4-Dichlorophenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- (2H-Indazol-3-yl)(4-o-tolylpiperazin-1-yl)methanone
- 20 - [4-(2,3-Dimethylphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- [4-(2-Ethylphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- [4-(3-Chlorophenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- (2H-Indazol-3-yl)[4-(3-methoxyphenyl)piperazin-1-yl]methanone
- (2H-Indazol-3-yl)(4-m-tolylpiperazin-1-yl)methanone
- 25 - (2H-Indazol-3-yl)[4-(4-methoxyphenyl)piperazin-1-yl]methanone
- [4-(2,4-Dimethoxyphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- (2H-Indazol-3-yl)[4-(2-methylsulfanylphenyl)piperazin-1-yl]methanone
- [4-(4-Chlorophenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- (2H-Indazol-3-yl)(4-naphthalen-1-ylpiperazin-1-yl)methanone
- 30 - [4-(5-Chloro-2-methylphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- [4-(2-Ethoxyphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- [4-(2,3-Dichlorophenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- (2H-Indazol-3-yl)[4-(4-trifluoromethylphenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- 35 - [4-(4-Benzyloxyphenyl)piperazin-1-yl](2H-indazol-3-yl)methanone
- (2H-Indazol-3-yl)[4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone

- [4-(2,3-Dihydrobenzo[1,4]dioxin-6-yl)piperazin-1-yl](2H-indazol-3-yl)methanone
- N-{4-[4-(2H-Indazole-3-carbonyl)piperazin-1-yl]-phenyl}methanesulfonamide
- (2-Methyl-1-quinolin-2-yl-1H-pyrrol-3-yl)(4-phenylpiperazin-1-yl)methanone
- 5 - [4-(3,4-Dichlorophenyl)piperazin-1-yl](2-methyl-1-quinolin-2-yl-1H-pyrrol-3-yl)methanone
- [4-(2-Methoxyphenyl)piperazin-1-yl](2-methyl-1-quinolin-2-yl-1H-pyrrol-3-yl)methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](2-methyl-1-quinolin-2-yl-1H-pyrrol-3-yl)methanone
- 10 - [4-(3-Chlorophenyl)piperazin-1-yl](2-methyl-1-quinolin-2-yl-1H-pyrrol-3-yl)methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](1-isoquinolin-1-yl-2-methyl-1H-pyrrol-3-yl)methanone
- 15 - [4-(3-Chlorophenyl)piperazin-1-yl](1-isoquinolin-1-yl-2-methyl-1H-pyrrol-3-yl)methanone
- (3,5-Dimethyl-1-phenyl-1H-pyrazol-4-yl)[4-(3-methoxyphenyl)piperazin-1-yl]methanone
- N-{4-[4-(3,5-Dimethyl-1-phenyl-1H-pyrazole-4-carbonyl)piperazin-1-yl]-phenyl}methanesulfonamide
- 20 - [2-(4-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- N-(4-{4-[2-(4-Methoxyphenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- 25 - [2-(3-Methoxyphenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- N-(4-{4-[2-(3-Methoxyphenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- (5-Methyl-2-phenyl-2H-pyrazol-3-yl)[4-(2-trifluoromethylphenyl)piperazin-1-yl]methanone
- 30 - [4-(4-Benzoyloxyphenyl)piperazin-1-yl][2-(2-fluorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- N-(4-{4-[2-(4-Fluorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- 35 - [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methoxyphenyl)piperazin-1-yl]methanone

- [4-(4-Fluorophenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(3,4-Dichlorophenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 5 - [4-(3,4-Dimethylphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [4-(2,3-Dimethylphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- 10 - [2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl](4-naphthalen-1-yl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methoxyphenyl)piperazin-1-yl][2-(4-methanesulfonylphenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- 15 - N-(4-{4-[2-(4-Methanesulfonylphenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-fluorophenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3,4-dichlorophenyl)piperazin-1-yl]methanone
- 20 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-ethylphenyl)piperazin-1-yl]methanone
- [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-chlorophenyl)piperazin-1-yl]methanone
- 25 - [2-(3-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-methoxyphenyl)piperazin-1-yl]methanone
- [4-(5-Chloro-2-methylphenyl)piperazin-1-yl][2-(3-chlorophenyl)-5-methyl-2H-pyrazol-3-yl]methanone
- N-(4-{4-[2-(3-Chlorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- 30 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,4-dimethylphenyl)piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(3-methoxyphenyl)piperazin-1-yl]methanone
- 35 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2,4-dimethoxyphenyl)piperazin-1-yl]methanone

- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-methylsulfanylphenyl)-piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-ethoxyphenyl)piperazin-1-yl]methanone
- 5 - [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(4-trifluoromethylphenyl)-piperazin-1-yl]methanone
- [2-(4-Chlorophenyl)-5-methyl-2H-pyrazol-3-yl][4-(2-trifluoromethylphenyl)-piperazin-1-yl]methanone
- N-(4-{4-[2-(4-Chlorophenyl)-5-methyl-2H-pyrazole-3-carbonyl]piperazin-1-yl}phenyl)methanesulfonamide
- 10 - [4-(2-Methoxyphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(4-Fluorophenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 15 - [4-(2,4-Dimethylphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](5-methyl-2-p-tolyl-2H-pyrazol-3-yl)methanone
- 14. The product as claimed in claim 1, characterized in that it is chosen from:
- 20 - [4-(3-Chlorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example 1)
- [4-(3,4-Dimethylphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example 2)
- 25 - [4-(3,5-Dichlorophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E2)
- [4-(Quinolin-4-yl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E17)
- [4-(3-Chlorophenyl)piperazin-1-yl](5-hydroxymethyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E60)
- 30 - [4-(3,4-Methylenedioxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E30)
- [4-(3,5-Dimethoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E20)

- [4-(3,5-Dimethylphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)-methanone (Example E63)
- [4-(3-Difluoromethoxyphenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E74)
- 5 - [4-(3-Chlorophenyl)piperazin-1-yl][5-(2-methylimidazol-1-yl-methyl)-2-phenyl-2H-pyrazol-3-yl]methanone (Example E75)
- [4-(3,5-Dimethoxyphenyl)piperazin-1-yl][5-(1H-pyrrol-2-yl)methyl-2-phenyl-2H-pyrazol-3-yl]methanone (Example E91)
- [4-(3,5-Dimethoxyphenyl)piperazin-1-yl][5-(pyrrolidin-1-yl)methyl-2-phenyl-2H-pyrazol-3-yl]methanone (Example E93)
- 10 - [4-(3-Carboxamidophenyl)piperazin-1-yl](5-trifluoromethyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E119)
- [5-(Azetidin-1-yl)-2-phenyl-2H-pyrazol-3-yl][4-(3,5-dimethoxyphenyl)piperazin-1-yl]methanone (Example E129)
- 15 - [4-(3-Carboxamidophenyl)piperazin-1-yl](2-phenyl-2H-pyrazol-3-yl)methanone (Example E133)
- [4-(3-Carboxamidophenyl)piperazin-1-yl](5-hydroxymethyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E134)
- [4-(3-Carboxamidophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E23)
- 20 - [4-(3,5-Dimethoxyphenyl)piperazin-1-yl](5-hydroxymethyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E73)
- (5-Amino-2-phenyl-2H-pyrazol-3-yl)[4-(3,5-dimethoxyphenyl)piperazin-1-yl]-methanone (Example E99).

- 25 15. The product as claimed in claim 14, characterized in that it is chosen from:
 - [4-(3-Carboxamidophenyl)piperazin-1-yl](5-methyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E23)
 - [4-(3,5-Dimethoxyphenyl)piperazin-1-yl](5-hydroxymethyl-2-phenyl-2H-pyrazol-3-yl)methanone (Example E73)
 - 30 - (5-Amino-2-phenyl-2H-pyrazol-3-yl)[4-(3,5-dimethoxyphenyl)piperazin-1-yl]-methanone (Example E99).

- 16. A pharmaceutical composition comprising a product as claimed in any one of the preceding claims, in combination with a pharmaceutically acceptable excipient.
- 35

17. The use of a product as claimed in any one of claims 1 to 15, as an agent for inhibiting tubulin polymerization.
18. The use of a product as claimed in any one of claims 1 to 15, as an agent for inhibiting the proliferation of tumoral cells.
- 5 19. The use of a product as claimed in any one of claims 1 to 15, for promoting the disintegration of lumps of cells originating from vascular tissue.
20. The use of a product as claimed in any one of claims 1 to 15, for the manufacture of a medicinal product that is useful for treating a pathological condition.
- 10 21. The use as claimed in claim 20, in which the pathological condition is cancer.